



**LONESTAR**

**EQUIPMENT SOLUTIONS**

**MECHANICAL & PLUMBING  
TRADE SOLUTIONS**

**RIDGID**

**STRUT SLAYR**

1-5/8"

NO  
STAINLESS

**RIDGID**

# OUR PRODUCTS

## OVERHEAD SOLUTIONS

- Strut
- Pipe Hangers
- Cable Hangers
- Anchors & Fasteners
- Roof
- Pre-Fabrication
- Threaded Rod

## SAFETY & PPE

- Custom/Branded PPE
- Ladders & Fall Protection
- Fire Retardant PPE
- Cut Sleeves & Gloves
- Hard Hats, Eyewear, Hearing Protection
- Safety Kages
- Fire Extinguishers

## FIRESTOP

- Putty & Pass Through Products
- Caulks, Pillows, Pails & Sausages

## EQUIPMENT

- Diagnostic Tools
- Threaders
- Contractor Lifts
- Jacks & Stands

## TOOLS & ACCESSORIES

- Cordless Power Tools
- Test & Measurement
- Cutting & Grinding Accessories



## OUR PARTNERS



# PRE-FAB SERVICES

Save time and money by partnering with Lonestar on pre-fab and sub-assembly products. Our team offers pre-assembly of fittings, strut cutting, and the ability to order trapezes/hangers assembled and prepped for installation.

- Pre-assembled fittings including bolts & channel nuts in fittings
- Strut cutting customized to your specific project's size and finish
- Trapezes/hangers pre-assembled and job site ready



# SAFETY SERVICES

Partner with Lonestar to ensure your team is up to codes and using the safest practices on job sites. Our services include:

- Custom kitting of Safety Kages with fall protection, PPE, fire extinguishers, confined space and first aid kits
- Jobsite training including fall and ladder protection
- Custom & branded PPE with your company's logo




# RENTAL & REPAIR SERVICES

Looking for repair services or temporary tool and equipment? Our team is a certified repair center for many manufacturers, and offers rental solutions for all kinds of project needs, such as:

- Material handling and storage, jacks and scissor lifts
- Electrical equipment, cable pullers and conduit benders
- Power tools, cable crimpers and pipe threaders
- Temporary power and cords, pressure washers and trash pump






## OVERHEAD PRODUCTS

Hanging and overhead solutions are a key part of every project, and Lonestar can provide every component.

- Strut
- Pipe Hangers
- Cable Hangers
- Anchors & Fasteners
- Roof
- Pre-Fabrication
- Threaded Rod



ASK ABOUT PRE-FAB SERVICES



## SAFETY PRODUCTS

Lonestar has the industry's latest offerings in safety and PPE to keep your team up to code and out of harm's way.

- PPE: vests, hard hats, eyewear, hearing protection, gloves, cut sleeves
- Winter Gear: heated PPE, jackets, neck gaiters
- Temporary Lighting: generators, LED towers, flashlights and wobble lights
- Personal Lighting: headlamps, handhelds, remote area lighting, intrinsically safe lighting
- Fall Protection: harnesses, kits and tethering
- Jobsite Materials: Custom kitted Safety Kages

ASK ABOUT QUICK TURN-AROUND BRANDED PPE

# FIRESTOP PRODUCTS

Choose Lonestar as your firestop partner - our expert team handles submittals and takeoffs for your project, saving you time and ensuring industry-leading quality and pricing.



A CSW Industrials Company



ASK ABOUT CAULKING



Part no. #471039



Part no. #457771



Part no. #559642

## EQUIPMENT OFFERING

Lonestar offers equipment for all trades, with tools and machines tailored for mechanical, electric, plumbing and HVAC professionals.

- Diagnostics: camera reels, utility and circuit locators, insulation testers
- Threaders: cordless pipe threader kits, motorized threading machines, power drives, tristands and oilers
- Lifts: contractor lifts, scissor lifts, welding jacks, pallet jacks

ASK ABOUT EQUIPMENT REPAIR



Part no. #479177

# ANCHORS & FASTENERS

## ADHESIVE ANCHORING SYSTEMS

			Concrete	Lightweight Concrete	Hollow Core Pre-Cast	Grout-filled Concrete Masonry	Hollow Masonry	Solid Brick	Hollow Brick	Unreinforced Masonry	Drywall	Plywood	Wood (Lumber)	Anchor Diameter	Threaded Rod and Hex Nut	Round / Acorn Nut Head	Hex Head	Flat Head	Under 500 lbs.	Over 500 lbs.	Over 5000 lbs.	Zinc Plated Carbon Steel	Galvanized Steel	Stainless Steel	Approvals/ Listings	Similar Anchoring Products
<b>Pure110+<sup>®</sup></b> High Strength Epoxy Anchoring System		ICC ESR-3298		■	■	■	■	■	■	■	■	■	■	3/8" - 1-1/4" #3 - #11 Rebar	■				■	■	■	■	■	■	1 4 6 7,	Hilti RE 500 V3 Simpson SET-XP Simpson SET 3G
<b>Pure50+<sup>™</sup></b> Epoxy Anchoring System		ICC ESR-3576		■	■	■	■	■	■	■	■	■	■	3/8" - 1-1/4" #3 - #10 Rebar	■				■	■	■	■	■	■	1 4 6 7	Hilti RE 500 SD Hilti RE 100 Simpson SET
<b>AC200+<sup>™</sup></b> High Strength Acrylic Anchoring System		ICC ESR-4027		■	■	■	■	■	■	■	■	■	■	3/8" - 1-1/4" #3 - #10 Rebar	■				■	■	■	■	■	■	1 4 6 7	Hilti HY 200
<b>AC100+ Gold<sup>®</sup></b> Vinylester Adhesive Anchoring System		ICC ESR-2582 ESR-3200 ESR-4105		■	■	■	■	■	■	■	■	■	■	3/8" - 1-1/4" #3 - #10 Rebar	■				■	■	■	■	■	■	1 4 6 7	Hilti HY 100 Hilti HY 270 Simpson AT-XP

## EXPANSION ANCHORS

			Concrete	Lightweight Concrete	Hollow Core Pre-Cast	Grout-filled Concrete Masonry	Hollow Masonry	Solid Brick	Hollow Brick	Unreinforced Masonry	Drywall	Plywood	Wood (Lumber)	Anchor Diameter	Threaded Rod and Hex Nut	Round / Acorn Nut Head	Hex Head	Flat Head	Under 500 lbs.	Over 500 lbs.	Over 5000 lbs.	Zinc Plated Carbon Steel	Galvanized Steel	Stainless Steel	Approvals/ Listings	Similar Anchoring Products
<b>Power-Stud<sup>®</sup> + SD1</b> Carbon Steel Wedge-Anchor		ICC ESR-2818 ESR-2966		■	■	■	■	■	■	■	■	■	■	1/4" - 1-1/4"	■				■	■	■	■	■	■	1 2 3 4	Hilti Kwik Bolt 3 (KB3) Hilti KBV-TZ Simpson Strong Bolt 2
<b>Power-Stud<sup>®</sup> + SD2</b> High Performance Carbon Steel Wedge-Anchor		ICC ESR-2502		■	■	■	■	■	■	■	■	■	■	3/8" - 3/4"	■				■	■	■	■	■	■	1 2 3 4	Hilti Kwik Bolt TZ Simpson Strong Bolt 2
<b>Power-Stud<sup>®</sup> + SD4</b> 304 Stainless Steel Wedge-Anchor		ICC ESR-2502		■	■	■	■	■	■	■	■	■	■	1/4" - 3/4"	■				■	■	■	■	■	■	1 4	Hilti Kwik Bolt 3 (KB3) / KB TZ SS Simpson Strong Bolt 2
<b>Power-Stud<sup>®</sup> + SD6</b> 316 Stainless Steel Wedge-Anchor		ICC ESR-2502		■	■	■	■	■	■	■	■	■	■	1/4" - 3/4"	■				■	■	■	■	■	■	1 4	Hilti Kwik Bolt 3 (KB3) / KB TZ SS Simpson Strong Bolt 2
<b>Power-Stud<sup>®</sup> HD5</b> Hot-Dip Galvanized Wedge Expansion Anchor				■	■	■	■	■	■	■	■	■	■	3/8" - 3/4"	■				■	■	■	■	■	■		

## SCREW ANCHORS

			Concrete	Lightweight Concrete	Hollow Core Pre-Cast	Grout-filled Concrete Masonry	Hollow Masonry	Solid Brick	Hollow Brick	Unreinforced Masonry	Drywall	Plywood	Wood (Lumber)	Anchor Diameter	Threaded Rod and Hex Nut	Round / Acorn Nut Head	Hex Head	Flat Head	Under 500 lbs.	Over 500 lbs.	Over 5000 lbs.	Zinc Plated Carbon Steel	Galvanized Steel	Stainless Steel	Approvals/ Listings	Similar Anchoring Products
<b>Screw-Bolt+<sup>™</sup></b> High Performance Screw Anchor		ICC ESR-3889 ESR-4042		■	■	■	■	■	■	■	■	■	■	1/4" - 3/4" (Zinc Plated & Mech Galv)	■				■	■	■	■	■	■	1 4	Hilti KH-EZ / KWIK Simpson Titen HD
<b>Screw-Bolt+<sup>™</sup> Flat Head</b> High Performance Screw Anchor		ICC ESR-3889 ESR-4042		■	■	■	■	■	■	■	■	■	■	1/4" - 3/4" (Zinc Plated)	■				■	■	■	■	■	■	1 4	Hilti KH-EZ / KWIK Simpson Titen HD
<b>316 Stainless Steel Wedge-Bolt<sup>™</sup></b> Screw Anchor				■	■	■	■	■	■	■	■	■	■	1/4" - 1/2"	■				■	■	■	■	■	■		Simpson Titen HD
<b>UltraCon<sup>®</sup>+</b> Concrete Screw Anchor		ICC ESR-3068 ESR-3196 ESR-3042 ESR-3213		■	■	■	■	■	■	■	■	■	■	3/16" - 1/4"	■				■	■	■	■	■	■	1 4 5	Simpson Titen Turbo ITW Tapcon

## SPECIALTY ANCHORS

			Concrete	Lightweight Concrete	Hollow Core Pre-Cast	Grout-filled Concrete Masonry	Hollow Masonry	Solid Brick	Hollow Brick	Unreinforced Masonry	Drywall	Plywood	Wood (Lumber)	Anchor Diameter	Threaded Rod and Hex Nut	Round / Acorn Nut Head	Hex Head	Flat Head	Under 500 lbs.	Over 500 lbs.	Over 5000 lbs.	Zinc Plated Carbon Steel	Galvanized Steel	Stainless Steel	Approvals/ Listings	Similar Anchoring Products
<b>CCU+<sup>™</sup></b> Heavy Duty Undercut Anchor		ICC ESR-4810		■	■	■	■	■	■	■	■	■	■	3/8" - 3/4" anchor rod Zinc plated A36 & B7 316 Stainless Steel	■				■	■	■	■	■	■	1 4	Hilti HDA Undercut
<b>Power-Bolt+<sup>™</sup></b> Heavy Duty Sleeve Anchor		ICC ESR-3260		■	■	■	■	■	■	■	■	■	■	1/4" - 3/4"	■				■	■	■	■	■	■	1 4	Hilti HSL-3

## MEP THREADED ROD HANGING ANCHORS

			Concrete	Lightweight Concrete	Hollow Core Pre-Cast	Grout-filled Concrete Masonry	Hollow Masonry	Solid Brick	Hollow Brick	Unreinforced Masonry	Drywall	Plywood	Wood (Lumber)	Anchor Diameter	Threaded Rod and Hex Nut	Round / Acorn Nut Head	Hex Head	Flat Head	Under 500 lbs.	Over 500 lbs.	Over 5000 lbs.	Zinc Plated Carbon Steel	Galvanized Steel	Stainless Steel	Approvals/ Listings	Similar Anchoring Products
<b>Snake+<sup>®</sup></b> Rod Hanger / Screw Anchor		ICC ESR-2272		■	■	■	■	■	■	■	■	■	■	1/4" - 1/2"	■				■	■	■	■	■	■	1 2 4	No Similar Product
<b>Smart DI<sup>™</sup></b> Internally Threaded Expansion Anchor				■	■	■	■	■	■	■	■	■	■	1/4" - 1/2"	■				■	■	■	■	■	■	2 3	Hilti HDI
<b>Hangermate<sup>®</sup>+</b> (Concrete) Rod Hanging Anchor		ICC ESR-3889		■	■	■	■	■	■	■	■	■	■	1/4" - 1/2"	■				■	■	■	■	■	■	1 2 4	ITW Sammys Hilti KH-EZI Simpson Titen Rod Hanger
<b>Hangermate<sup>®</sup></b> (Steel Wood) Rod Hanging Anchor				■	■	■	■	■	■	■	■	■	■	1/4" - 3/8"	■				■	■	■	■	■	■	2 3	ITW Sammys
<b>Mini-Undercut+<sup>™</sup></b> Rod Hanger for PT Slabs and Hollow Core Plank		ICC ESR-3912		■	■	■	■	■	■	■	■	■	■	3/8"	■				■	■	■	■	■	■	1 4	Hilti HDI-TZ
<b>Bang-It+<sup>®</sup></b> Metal deck cast in place anchor		ICC ESR-3657		■	■	■	■	■	■	■	■	■	■	1/4" - 3/4"	■				■	■	■	■	■	■	1 2 3 4	Hilti HCI-MD KCS-MD
<b>Wood-Knocker<sup>®</sup> II+</b> Cast-in-Place Anchor for Forms		ICC ESR-3657		■	■	■	■	■	■	■	■	■	■	1/4" - 3/4"	■				■	■	■	■	■	■	1 2 3 4	Hilti HCI-WF Hilti KCS-WF
<b>DDI+<sup>™</sup></b> (Deck Insert) Metal Deck Cast In Place Anchor		ICC ESR-3657		■	■	■	■	■	■	■	■	■	■	3/8" - 7/8"	■				■	■	■	■	■	■	1 2 3 4	No Similar Product

# ANCHORS & FASTENERS

## LIGHT/MEDIUM DUTY ANCHORS

	Concrete	Lightweight Concrete	Hollow Core Pre-Cast	Grout-filled Concrete Masonry	Hollow Masonry	Solid Brick	Hollow Brick	Unreinforced Masonry	Drywall	Plywood	Wood (Lumber)	Anchor Diameter	Threaded Rod and Hex Nut	Round / Acorn Nut Head	Hex Head	Flat Head	Under 500 lbs.	Over 500 lbs.	Zinc Plated Carbon Steel	Galvanized Steel	Stainless Steel	Approvals/ Listings	Similar Anchoring Products	
<b>Polly™</b> Hollow Wall Anchor												Wall Thickness 1/8" - 1-1/8"												ITW Red Head Poly-Set™ Anchor
<b>Toggle Bolt</b> Hollow Wall Anchor												1/8" x 2" - 1/2" x 4"												
<b>Sharkie™</b> Wall Anchor												#4-#10 #6-#12 #8-#14 Screw												
<b>Strap-Toggle™</b> Hollow Wall Anchor												3/16" - 1/2"												Hilti HTB Toggle Bolt
<b>Zip-Toggle®</b> Hollow Wall Anchor												#6 x 2												
<b>Wall-Dog™</b> Universal Light Duty Anchor												1/4" Diameter with #8 Head												Simpson Sure Wall
<b>Bantam Plug</b> Plastic Wall Anchor												#6-8 x 3/4" - #14-16 x 1-1/2"												Hilti HUD-1 Wall Plug
<b>Zip-It®</b> Zinc or Nylon Wallboard Anchor												#6 to #8 Screws												ITW Red Head EZ
<b>Lok-Bolt AS®</b> Sleeve Anchor												1/4" - 3/4"												Hilti HLC Sleeve
<b>Hollow-Set Dropin™</b> Internally Threaded Expansion Anchor												1/4" - 5/8"										3		Simpson HDIA
<b>Zamac Hammer-Screw®</b> Nail Anchor												1/4" x 3/4" - 1/4" x 3"												Hilti HPS-1
<b>Zamac Nailin®</b> Nail Anchor												3/16" x 7/8" - 1/4" x 3"												Hilti HMH Nail In
<b>Spike®</b> Pin Anchor												3/16" - 1/2"												Simpson Crimp Drive®
<b>Calk-In™</b> Mechanical Bolt Anchor												#8 Screw to 1/2"												
<b>Double™</b> Shield Expansion Anchor												1/4" - 3/4"												
<b>Single™</b> Shield Expansion Anchor												1/4" - 5/8"												

# DEWALT®

## ANCHORS & FASTENERS



[WWW.ANCHORS.DEWALT.COM](http://WWW.ANCHORS.DEWALT.COM)





**LONESTAR**

**EQUIPMENT SOLUTIONS**

[tools.lses.com](http://tools.lses.com) • (346) 207-3673

[sales@lonestarequipmentsolutions.com](mailto:sales@lonestarequipmentsolutions.com)

**WE MAKE  
IT HAPPEN.**